

1: T8217

2: T8217\_Crown



4: T8231\_Silt rock added near trunk base

3: T8231



5: U041

6: U041\_Crown



7: U041\_Dead stump

8: U041\_Wood damage at union



9: U041\_Wood damaged by termite

10: U041\_ Bark peeling caused by heavy rain



11: U042

12: U042\_Wound on trunk



13: U043

14: U043\_Wound on trunk base#1



15: U043\_Wound on trunk base#2

16: Fungal fruiting bodies on trunk base.



17: Silt rock composed of wood chip was added

18: Temporary protective fencing for U041, U042 and U043

## CEDD Contract No. NL/2020/05 Tung Chung New Town Extension – Site Formation and Infrastructure Works at Ma Wan Chung

## Tree Schedule for Survey of Plant Species of Conservation Importance

Tree No.	Species			Measurements			Amenity Value (High(H) /	Tree Condition (Good(G) / Average(A) / Poor(P))			Recommendation		
	Scientific Name	Chinese Name	Conservation Status	Height (m)	DBH (mm)	Crown Spread (m)	Medium (M) / Low(L)	Form	Health	Structure	(Retain / Transplant / Remove)	Findings	Remark
T8217	Canthium dicoccum	魚骨木	IUCN:VU	9	220	6	L	Ρ	A	Ρ	Retain	No Particular Observation	There is no proper and safe assess towards T8231 & T8217, thus, plastics barriers were installed in lieu of 2m high barrier, adding silt rock is recommended
T8231	Canthium dicoccum	魚骨木	IUCN:VU	7	190	6	L	Ρ	A	Ρ	Retain	No Particular Observation	There is no proper and safe assess towards T8231 & T8217, thus, plastics barriers were installed in lieu of 2m high barrier, adding silt rock is recommended
U041	Aquilaria sinensis	土沉香	RPPHK; Cap.586; IUCN:VU	10	318	4	М	A	P	A		No obvious old termite track was found, damage of wood tissue was observed. Application of termiticide is recommended	Located closed to cut slope and fenced off by 2m high barrier
U042	Gmelina chinensis	石梓	RРРНК	6	150	2	М	A	P	A		Large wound near trunk base with wound wood development. Application of insecticide is recommended as preventive measures	Located closed to cut slope and fenced off by 2m high barrier
U043	Aquilaria sinensis	土沉香	RPPHK; Cap.586; IUCN:VU	9	310	4	М	A	P	A	Retain	Fungal fruiting bodies near trunk base. Application of fungicide is recommended.	Located closed to cut slope and fenced off by 2m high barrier

RPPHK - Species included in AFCD publication "Rare and Precious Plants of Hong Kong (2003)"

Cap.586 - Native plants listed in Protection of Endangered Species of Animals and Plants Ordinance, Cap. 586.

IUCN:VU - "Vulnerable" under IUCN Red List of Threatened Species