


A8 – Decaying wound on trunk (size: ~180mm x170mm)

A8 – Decaying wound on trunk

A8 – Decaying wound on trunk





Manual watering was carried out for A8 during the reporting period. The watering frequency is one to two times per week.

Manual watering was carried out for A12 during the reporting period. The watering frequency is one to two times per week.






CCTV and fencing are in order.



Adjustment on staking was done on 07/12/2024





Tree Schedule for Survey of Plant Species of Conservation Importance

No.	Species		Conservatio n	Measurements			Tree Condition (Good(G) / Average(A) / Poor(P))			Recommendation (Retain / Transplant /	Findings	Remark
	Scientific Name	Chinese name	Status	DBH (mm)	Height (m)	Crown (m)	Form	Health	Structure	Remove)		
A8 (T8996)	Aquilaria sinensis	土沉香	RPPHK; Cap.586; IUCN:VU	110	5	4	Р	А	Р	Transplant	No specific observation.	Originally located at Site 1. Trunk wounds were observed before transplant operation. Shallow root. Sudden defoliation happened in May 2023 but recovered in Aug 2023. It was translocated to the temporary holding nursery on 29 Sep 2023. A branch (5cm) was broken and foliage density decreased due to typhoon in Oct 2023.
A12 (T3537)	Aquilaria sinensis	土沉香	RPPHK; Cap.586; IUCN:VU	185	8	3	Р	Р	Α	Transplant	The foliage density is low.	Originally located at Site 5. Trunk wounds were observed before transplant operation. Shallow root. Original root ball was full of stones which were removed partially during the translocation. It was translocated to the temporary holding nursery on 29 Sep 2023. It collapsed during typhoon dated Oct 2023 resulted in largely reduction in foliage density. It was slightly lean after a typhoon event dated 13-14 Nov 2024 (reinstated). Removal of dead branches was conducted on 07/12/2024.

*Note:

DBH refers to Trunk Diameter at Breast Height

The Tree preservation work commenced in Jul 2022