





<p>A11 – Overall view</p>  <p>06 12 2025</p>	<p>A11 – Crown condition.</p>  <p>16 11 2025</p>
<p>A11 – Shoots are epicormic generated from cut trunk which is decaying severely</p>  <p>16 11 2025</p>	<p>A11 - Soil condition</p>  <p>16 11 2025</p>

Unknown physical damage is observed resulting in the breaking of some epicormic shoots.



Unknown physical damage is observed resulting in the breaking of some epicormic shoots.



CCTV Screen

12-04-2025 Thu 13:44:51



Tree Schedule for Survey of Plant Species of Conservation Importance

No.	Species		Conservation Status	Measurements			Tree Condition (Good(G) / Average(A) / Poor(P))			Recommendation (Retain / Transplant / Remove)	Findings	Remark
	Scientific Name	Chinese name		DBH (mm)	Height (m)	Crown (m)	Form	Health	Structure			
A9 (T7628)	<i>Aquilaria sinensis</i>	土沉香	RPPHK; Cap.586; IUCN:VU	-	-	-	-	-	-	-	-	Removed due to illegal felling on Aug 2023 (reported to police on 21 Aug 2023)
A10 (T7538)	<i>Aquilaria sinensis</i>	土沉香	RPPHK; Cap.586; IUCN:VU	-	-	-	-	-	-	-	-	Removed due to illegal felling on Aug 2023 (reported to police on 21 Aug 2023)
A11 (T7521)	<i>Aquilaria sinensis</i>	土沉香	RPPHK; Cap.586; IUCN:VU	190	3.5	1	P	A	P	Retain	Insect infestation is not significant. Unknown physical damage is observed resulting in the breaking of some epicormic shoots on Nov 2025.	Root-plate movement (mentioned in previous monitoring report). Topped tree due to illegal felling on Aug 2023 (reported to police on 21 Aug 2023). Large decaying trunk wound. Foliage density reduced after inclement weather events on Aug and Sep 2025.

*Note:





DBH refers to Trunk Diameter at Breast Height

The Tree preservation work commenced in Jul 2022





RPPHK - Species included in AFCD publication "Rare and Precious Plants of Hong Kong (2003)"

Cap.586 – Native plants listed in Protection of Endangered Species of Animals and Plants Ordinance, Cap. 586.

IUCN:VU – "Vulnerable" under IUCN Red List of Threatened Species

A8 – Overall view	A8 – Crown condition. Foliage density is low since Super Typhoon dated Sep 2025.
 <p>A photograph showing the overall view of tree A8. The tree is supported by a black mesh cage and three wooden stakes. It is surrounded by white and red plastic barriers. In the background, a yellow excavator and a black tarp are visible. The date '15 11 2025' is printed in yellow at the bottom right.</p>	 <p>A close-up photograph of the crown of tree A8, showing sparse green foliage against a cloudy sky. The date '15 11 2025' is printed in yellow at the bottom right.</p>
A8 – Pruning wound previously damaged by typhoon KOINU (Oct 2023)	A8 – Trunk and root condition.
 <p>A close-up photograph of a pruning wound on the trunk of tree A8. The wound is a deep, irregular cut in the bark. The date '15 11 2025' is printed in yellow at the bottom right.</p>	 <p>A photograph showing the trunk and root area of tree A8. The tree is supported by a black mesh cage and three wooden stakes. The date '15 11 2025' is printed in yellow at the bottom right.</p>

<p>A8 – Decaying wound at trunk base (size: ~180mm x170mm)</p>	<p>A8 – Decaying wound on trunk</p>
	
<p>A8 – Ant nest was not found</p>	<p>A8 – Leaves chlorosis and thin</p>
	

<p>A12 - Overall View</p>  A photograph showing the full height of tree A12. The tree has a slender trunk and a canopy of green leaves. It is situated behind a row of grey and red plastic safety barriers. A black protective net is draped over the base of the tree. A yellow date stamp '15 11 2025' is visible in the bottom right corner of the image. <p>15 11 2025</p>	<p>A12 - Dieback observed.</p>  A close-up photograph of the upper part of tree A12, focusing on the canopy. Some branches appear thin and have sparse foliage, indicating dieback. The background shows a cloudy sky. A yellow date stamp '15 11 2025' is visible in the bottom right corner of the image. <p>15 11 2025</p>
<p>A12 - Foliage density reduced significantly after Super Typhoon.</p>  A close-up photograph of the foliage of tree A12. The leaves are green but appear somewhat sparse and thin, consistent with the caption's claim of reduced density after a typhoon. A yellow date stamp '15 11 2025' is visible in the bottom right corner of the image. <p>15 11 2025</p>	<p>A12 – Trunk and root condition</p>  A close-up photograph of the base of tree A12. The trunk is wrapped in orange safety netting. The roots are exposed and appear to be in good condition. The tree is supported by wooden stakes. A yellow date stamp '15 11 2025' is visible in the bottom right corner of the image. <p>15 11 2025</p>

<p>A12 –Wound at trunk base</p>  <p>15 11 2025</p>	<p>A12 – Decaying wound on trunk</p>  <p>15 11 2025</p>
<p>A12 – Epicormics on trunk. Decaying wound on Trnk.</p>  <p>15 11 2025</p>	<p>Fencing is in order during inspection</p>  <p>15 11 2025</p>

Weeding and grass cutting on 18 November 2025.



Weeding and grass cutting on 18 November 2025.




Manual watering was carried out for A8 during the reporting period. The watering frequency is one to two times per week.



Manual watering was carried out for A12 during the reporting period. The watering frequency is one to two times per week.





Tree Schedule for Survey of Plant Species of Conservation Importance

No.	Species		Conservation Status	Measurements			Tree Condition (Good(G) / Average(A) / Poor(P))			Recommendation (Retain / Transplant / Remove)	Findings	Remark
	Scientific Name	Chinese name		DBH (mm)	Height (m)	Crown (m)	Form	Health	Structure			
A8 (T8996)	<i>Aquilaria sinensis</i>	土沉香	RPPHK; Cap.586; IUCN:VU	110	5	4	P	P	P	Transplant	No obvious wound wood production. Severity of the insect feeding was low.	Trunk wounds were observed before transplant operation. Shallow root. Sudden defoliation happened in May 2023 but recovered in Aug 2023. It was translocated to the temporary holding nursery on 29 Sep 2023. A branch (5cm) was broken due to typhoon in Oct 2023. Decaying wounds and exposed dead woods on trunk. The foliage density is low and further reduced after recent inclement weather events on Aug/Sep 2025.
A12 (T3537)	<i>Aquilaria sinensis</i>	土沉香	RPPHK; Cap.586; IUCN:VU	185	8	3	P	P	A	Transplant	No obvious wound wood production. Severity of the insect feeding was low.	Trunk wounds were observed before transplant operation. Shallow root. Original root ball was full of stones which were removed partially during the translocation. It was translocated to the temporary holding nursery on 29 Sep 2023. It collapsed during typhoon dated Oct 2023 resulted in largely reduction in foliage density. It was slightly lean after a typhoon event dated 13-14 Nov 2024 and reinstated. Decaying wounds and exposed dead woods on trunk. The foliage density is low and further reduced after recent inclement weather events on Aug/Sep 2025.

*Note:

DBH refers to Trunk Diameter at Breast Height

The Tree preservation work commenced in Jul 2022

RPPHK - Species included in AFCD publication "Rare and Precious Plants of Hong Kong (2003)"

Cap.586 – Native plants listed in Protection of Endangered Species of Animals and Plants Ordinance, Cap. 586.

IUCN:VU – "Vulnerable" under IUCN Red List of Threatened Species